



FLANGE SEALANT - ANAEROBIC LP

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 13.10.2014

REVISION DATE: 26.11.2020

SUPERSEDES DATE: 20.04.2016

VERSION: 3.1

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Flange Sealant - Anaerobic LP
Product code	Ford Internal Ref.: 102102
SDS Number	7630
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesives, sealants
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
	Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Warning

Contains

α,α -dimethylbenzyl hydroperoxide ; 2-Phenylacetohydrazide; 1,1'-(methylenedi-p-phenylene)bismaleimide

Hazard statements

H317

May cause an allergic skin reaction.

H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

2.3. Other hazards

Other hazards which do not result in classification

This product contains a substance that is classified as Acute Toxicity Category 3, Inhalation, in powder form. Experimental data show that this substance, as an ingredient in this mixture, is not biologically available according to CLP Art. 12 b.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
1,1'-(methylenedi-p-phenylene)bismaleimide	13676-54-5 237-163-4 01-2119969947-11-XXXX	5 -< 10	Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317	
α,α -dimethylbenzyl hydroperoxide	80-15-9 201-254-7 617-002-00-8 01-2119475796-19-XXXX	1 -< 2	Org. Perox. E, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Chronic 2, H411	(1 $\leq$ C $\leq$ 3) Eye Irrit. 2, H319 (1 $\leq$ C $\leq$ 10) STOT SE 3, H335 (3 $\leq$ C $\leq$ 10) Skin Irrit. 2, H315 (3 $\leq$ C $\leq$ 10) Eye Dam. 1, H318 (10 $\leq$ C $\leq$ 100) Skin Corr. 1B, H314
2-Phenylacetohydrazide	114-83-0 204-055-3 -	0,1 -< 1	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335	

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin contact:

Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eyes contact

Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion

Rinse mouth out with water. Drink 1 or 2 glasses of water. Do not induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	May cause an allergic skin reaction. irritation (itching, redness, blistering).
Symptoms/effects after eye contact	Causes serious eye irritation. Conjunctivitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO ₂). Nitrogen oxides. Sulphur oxides.
-------------------------------	--

5.3. Advice for firefighters

Precautionary measures fire	Do not breathe fumes. Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Firefighting instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	Prevent fire fighting water from entering the environment.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	Wear recommended personal protective equipment.
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Keep unnecessary personnel away.

6.2. Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.
--------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (for example cloth). Clean surface thoroughly to remove residual contamination.
-------------------------	---

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

1. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Do not breathe vapours, mist. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Incompatible products

Strong acids. Strong oxidizing agent.

7.3. Specific end use(s)

Adhesives, sealants.

1. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits.

Monitoring methods

Follow standard monitoring procedures

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
α,α -dimethylbenzyl hydroperoxide (80-15-9)	Worker	Inhalation	6 mg/m ³	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
α,α -dimethylbenzyl hydroperoxide (80-15-9)	Not applicable	Freshwater	0.003 mg/l	Freshwater Seawater
		Seawater	0 mg/l	
		sediment	0.23 mg/kg dwt	
		sediment	0.002 mg/kg dwt	
		Soil	0.003 mg/kg dwt	
		STP	0.35 mg/l	
1,1'-(methylenedi-p-phenylene)bismaleimide (13676-54-5)	Not applicable	Freshwater	0.4 µg/L	Intermittent release Intermittent release Freshwater Seawater
		Seawater	0.4 µg/L	
		Freshwater	0.994 µg/L	
		Seawater	0.994 µg/L	
		sediment	0.041 mg/kg dwt	
		sediment	0.004 mg/kg dwt	
		Soil	8.05 mg/kg dwt	
		STP	3 mg/l	

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level		
Materials for protective clothing	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment		
Individual protection measures, such as personal protective equipment (PPE)			
Eye protection	Wear security glasses which protect from splashes. EN 166.		
Skin protection			
Hand protection	Protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Consult supplier for specific recommendations. EN 374		
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0.4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact:	6 (> 480 minutes)	0,4	Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Type A - High-boiling (>65 °C) organic compounds		
Skin and body protection	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment		
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.		
Environmental exposure controls	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.		

2. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	gel.
Colour	pink.
Odour	mild.
Odour threshold	No data available
pH	Not applicable
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	> 150 °C
Flash point	> 93.3 °C
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	< 5 mm Hg @ 27 °C < 300 mbar @ 50 °C
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	1.178 g/cm³
Solubility	Slightly soluble in: water. Water: Low

Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

VOC (EU)	< 3 %
-----------------	-------

3. SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents. Strong acids.
10.6. Hazardous decomposition products	During fire, gases hazardous to health may be formed. Carbon oxides (CO, CO ₂). Nitrogen oxides. Sulphur oxides.

1. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
-----------------------	---

Mixture

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
Flange Sealant - Anaerobic LP	(calculated value)	ATE	oral	> 2000	mg/kg		
	(calculated value)	ATE	Dermal	> 2000	mg/kg		
	(calculated value)	ATE	Inhalation	> 20	mg/l		

Substance

Name	Method	Type	Exposure route	Value	Unit	Species	Remarks
α,α-dimethylbenzyl hydroperoxide (80-15-9)		LD50	oral	800	mg/kg		
		ATE	Dermal	1100	mg/kg		
		ATE	Inhalation	3	mg/l/4h		vapours
2-Phenylacetohydrazide (114-83-0)	(acc. CLP 3.1.2)	ATE	oral	50 - < 300	mg/kg		
1,1'-(methylenedi-p-phenylene)bismaleimide (13676-54-5)	(OECD 436 method)	LC50	Inhalation	> 0,515 - < 1	mg/l/4h	rat	

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

2. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
-------------------	--

Hazardous to the aquatic environment, short-term (acute)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
α,α -dimethylbenzyl hydroperoxide (80-15-9)	crustacea		EC50	7 mg/l	24 h	
	Fish		LC50	3,9 mg/l	96 h	

12.2. Persistence and degradability

Flange Sealant - Anaerobic LP

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

12.3. Bioaccumulative potential

Flange Sealant - Anaerobic LP

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

α,α -dimethylbenzyl hydroperoxide (80-15-9)

Log Pow	1.6
---------	-----

12.4. Mobility in soil

Flange Sealant - Anaerobic LP

Ecology - soil	Hardened adhesives are immobile.
----------------	----------------------------------

12.5. Results of PBT and vPvB assessment

Flange Sealant - Anaerobic LP

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.
--

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.
-----------------------	---

3. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	Dispose of in accordance with local regulations.
Waste treatment methods	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Collect and reclaim or dispose in closed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.
Product/Packaging disposal recommendations	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
European List of Waste (LoW) code	

08 04 09*	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
15 01 10*	waste adhesives and sealants containing organic solvents or other dangerous substances
	packaging containing residues of or contaminated by dangerous substances

4. SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID
Not regulated for transport

5. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

α,α -dimethylbenzyl hydroperoxide	3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
Flange Sealant - Anaerobic LP ; α,α -dimethylbenzyl hydroperoxide ; 2-Phenylacetohydrazide	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
α,α -dimethylbenzyl hydroperoxide	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
2-Phenylacetohydrazide	72. The substances listed in column 1 of the Table in Appendix 12
Contains no substance on the REACH candidate list	
Contains no REACH Annex XIV substances	

VOC (EU)

< 3 %

Other information, restriction and prohibition regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. For details, refer to section 3 and 8.

Seveso Information

Not applicable

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

6. SECTION 16: Other information

Indication of changes

Section 1 - Section 16.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany

BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level

LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Full text of H- and EUH-statements

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3.
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3.
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4.
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4.
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Carc. 2	Carcinogenicity, Category 2.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Org. Perox. E	Organic Peroxides, Type E.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B.
Skin Irrit. 2	Skin corrosion/irritation, Category 2.
Skin Sens. 1	Skin sensitisation, Category 1.
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation.
H242	Heating may cause a fire..
H301	Toxic if swallowed..
H302	Harmful if swallowed..
H312	Harmful in contact with skin..
H314	Causes severe skin burns and eye damage..
H315	Causes skin irritation..
H317	May cause an allergic skin reaction..
H318	Causes serious eye damage..
H319	Causes serious eye irritation..
H331	Toxic if inhaled..
H335	May cause respiratory irritation..
H351	Suspected of causing cancer..
H373	May cause damage to organs through prolonged or repeated exposure..
H411	Toxic to aquatic life with long lasting effects..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Flange Sealant - Anaerobic LP

Ford Int. Ref. No.: 102102

REVISION DATE: 26.11.2020

Involved Products:

	Finiscode	Part number	Container Size:
.	1 1 377 767	5U7J M2G348 BA	50 ml