

ADHESIVE L-HY 2



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 03.07.2018

REVISION DATE: 02.04.2020

SUPERSEDES DATE: 14.11.2019

VERSION: 3.0

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Adhesive L-HY 2
Product code	Ford Internal Ref.: 199777
SDS Number	3039
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesives, sealants
Uses advised against	No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards	Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
	Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.
Environmental hazards	Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Warning

Contains

1,6-hexanediyl bismethacrylate

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273	Avoid release to the environment.
P280	Wear protective gloves, eye protection.
P261	Avoid breathing vapours.

Response

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.

Supplemental hazard information

EUH208	Contains 3,4,5,6-tetrahydrophthalic anhydride. May produce an allergic reaction.
--------	--

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
1,6-hexanediyl bismethacrylate	6606-59-3 229-551-7 (607-134-00-4) 01-2120760621-59	50 - 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411	
3,4,5,6-tetrahydrophthalic anhydride	2426-02-0 219-374-3 607-099-00-5	0.1 - < 1	Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 Aquatic Chronic 3, H412	(Note C)

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

Skin contact:

Wash off with soap and water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Eyes contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Ensure that the respiratory tract is clear. In the unlikely event of swallowing contact a physician or poison control center. Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/effects after skin contact	Causes skin irritation.
Symptoms/effects after eye contact	Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Foam. Carbon dioxide. Dry powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Carbon oxides (CO, CO ₂). Nitrous oxide.
-------------------------------	--

5.3. Advice for firefighters

Firefighting instructions	On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray. Move containers from fire area if it can be done without personal risk. In case of fire and/or explosion do not breathe fumes.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Keep unnecessary personnel away.
For non-emergency personnel	
Emergency procedures	Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
Other information	Dispose of materials or solid residues at an authorized site.

- 6.4. Reference to other sections** For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations". For further information refer to section 13.

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught.
Precautions for safe handling	Use only outdoors or in a well-ventilated area. Avoid breathing vapours. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Storage area	Keep cool. Protect from sunlight. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.
Special rules on packaging	Keep only in original container.

- 7.3. Specific end use(s)** adhesives.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Contains no substances with occupational exposure limits.

DNEL: Derived no effect level

No data available

PNEC: Predicted no effect concentration

No data available

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level		
Materials for protective clothing	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment		
Individual protection measures, such as personal protective equipment (PPE)			
Eye protection	Safety glasses with side shields. EN 166.		
Skin protection			
Hand protection	The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove		
Material	Permeation	Thickness (mm)	Comments
Butyl rubber	6 (> 480 minutes)	0.7	Glove recommendation: Butoject® 898 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Butyl rubber	6 (> 480 minutes)	0.7	Glove recommendation: Butoject® 898 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	No additional information available.		
Respiratory protection	Type A - High-boiling (>65 °C) organic compounds		

Skin and body protection	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment, EN 14605, EN ISO 13982
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.
Environmental exposure controls	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.
Consumer exposure controls	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid.
Colour	colourless to slightly yellow.
Odour	Characteristic.
Odour threshold	No data available
pH	7
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	110 °C
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.98 – 1 g/cm ³
Solubility	No data available
Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

VOC (EU)	< 3 %
-----------------	-------

10. SECTION 10: Stability and reactivity

10.1. Reactivity	Can react with. Strong acids, strong oxidants.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	Refer to section 10.1 on Reactivity.
10.4. Conditions to avoid	None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials	Refer to section 10.1 on Reactivity.

10.6. Hazardous decomposition products Carbon oxides (CO, CO₂).

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Potential adverse human health effects and symptoms	Prolonged inhalation may be harmful. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

12. SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute)

Substance / Product	Trophic level	Species	Type	Value	Duration	Remarks
1,6-hexanediyl bismethacrylate (6606-59-3)	Fish	Fish	EC50	1-10 mg/ml		(estimated value)

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

1,6-hexanediyl bismethacrylate (6606-59-3)

Log Pow	> 4
----------------	-----

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Adhesive L-HY 2

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.
------------------------------	---

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
-------------------------------------	--

Waste treatment methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
European List of Waste (LoW) code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
15 01 10*	packaging containing residues of or contaminated by dangerous substances

14. SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	3082
UN-No. (IMDG)	3082
UN-No. (IATA)	3082
UN-No. (ADN)	3082
UN-No. (RID)	3082

14.2. UN proper shipping name

Proper Shipping Name (ADR)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,6-hexanediyl bismethacrylate)
Proper Shipping Name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,6-hexanediyl bismethacrylate)
Proper Shipping Name (IATA)	Environmentally hazardous substance, liquid, n.o.s. (1,6-hexanediyl bismethacrylate)
Proper Shipping Name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,6-hexanediyl bismethacrylate)
Proper Shipping Name (RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,6-hexanediyl bismethacrylate)

14.3. Transport hazard class(es)

ADR	
Transport hazard class(es) (ADR)	9
Danger labels (ADR)	9
IMDG	
Transport hazard class(es) (IMDG)	9
Danger labels (IMDG)	9
IATA	
Transport hazard class(es) (IATA)	9
Hazard labels (IATA)	9
ADN	
Transport hazard class(es) (ADN)	9
Danger labels (ADN)	9

RID	
Transport hazard class(es) (RID)	9
Danger labels (RID)	9
14.4. Packing group	
Packing group (ADR)	III
Packing group (IMDG)	III
Packing group (IATA)	III
Packing group (ADN)	III
Packing group (RID)	III
14.5. Environmental hazards	
Dangerous for the environment	Yes
Marine pollutant	Yes
Other information	No supplementary information available.
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	M6
Special provisions (ADR)	274, 335, 375, 601
Limited quantities (ADR)	5I
Packing instructions (ADR)	P001, IBC03, LP01, R001
Hazard identification number (Kemler No.)	90
Tunnel restriction code (ADR)	-
EAC code	•3Z
Transport by sea	
Special provisions (IMDG)	274, 335, 969
Limited quantities (IMDG)	5 L
Packing instructions (IMDG)	LP01, P001
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-F
Stowage category (IMDG)	A
Air transport	
PCA Excepted quantities (IATA)	E1
PCA Limited quantities (IATA)	Y964
PCA limited quantity max net quantity (IATA)	30kgG
PCA packing instructions (IATA)	964
PCA max net quantity (IATA)	450L
CAO packing instructions (IATA)	964
CAO max net quantity (IATA)	450L
Special provisions (IATA)	A97, A158, A197
ERG code (IATA)	9L
Inland waterway transport	
Classification code (ADN)	M6
Special provisions (ADN)	274, 335, 375, 601
Limited quantities (ADN)	5 L
Rail transport	
Classification code (RID)	M6
Special provisions (RID)	274, 335, 375, 601

Limited quantities (RID)	5L
Packing instructions (RID)	P001, IBC03, LP01, R001
Hazard identification number (RID)	90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

Adhesive L-HY 2 ; 1,6-hexanediyl bismethacrylate	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
1,6-hexanediyl bismethacrylate	3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC (EU)

< 3 %

Other information, restriction and prohibition regulations

Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. For details, refer to section 3 and 8.

Seveso Information

E2 Hazardous to the Aquatic Environment in Category Chronic 2

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information

Indication of changes

Label elements. Composition/information on ingredients. Transport information.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand

bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.
ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.

MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging

Classification according to Regulation (EC) No. 1272/2008

Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H335
Aquatic Chronic 2	H411

Full text of H- and EUH-statements

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2.
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Resp. Sens. 1	Respiratory sensitisation, Category 1.
Skin Irrit. 2	Skin corrosion/irritation, Category 2.
Skin Sens. 1	Skin sensitisation, Category 1.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation.
H315	Causes skin irritation..
H317	May cause an allergic skin reaction..
H318	Causes serious eye damage..
H319	Causes serious eye irritation..
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled..
H335	May cause respiratory irritation..
H411	Toxic to aquatic life with long lasting effects..
H412	Harmful to aquatic life with long lasting effects..
EUH208	Contains 3,4,5,6-tetrahydrophthalic anhydride. May produce an allergic reaction..

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 2	H411	Calculation method

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.