

AQUA SILICONE REMOVER SPRAY



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

ISSUE DATE: 17.07.2019

REVISION DATE: 27.11.2019

SUPERSEDES DATE: 12.08.2019

VERSION: 1.2

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Aqua Silicone Remover Spray
Product code	Ford Internal Ref.: 200974
SDS Number	6329
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Cleaner
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
Ford-Werke GmbH	Ford Motor Company Ltd.
Edsel-Ford-Str. 2-14	Parts Distribution Centre
50769 Cologne	Royal Oak Way South
Germany	NN11 8NT Daventry, Northants
+49 221 90-33333	United Kingdom
sdseu@ford.com	+44 1327 305 198

1.4. Emergency telephone number

+49 (0) 6132-84463 (GBK GmbH – 24/7)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Physical hazards	Aerosol, Category 1	H222;H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
------------------	---------------------	-----------	--

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H222

Extremely flammable aerosol.

H229

Pressurised container: May burst if heated.

Precautionary statements

Prevention

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
Storage
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F

2.3. Other hazards

Other hazards not contributing to the classification Without adequate ventilation formation of explosive mixtures may be possible.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008	Notes
dimethyl ether	115-10-6 204-065-8 603-019-00-8 01-2119472128-37-XXXX	50 - 100	Flam. Gas 1, H220 Press. Gas (Comp.), H280	(Note U)
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX	5 - < 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Note U(table 3.1) : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

4. SECTION 4: First aid measures

4.1. Description of first aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Inhalation Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

Skin contact: Wash skin with plenty of water.

Eyes contact Rinse cautiously with water for several minutes. Get medical attention if irritation develops and persists.

Ingestion Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard	Extremely flammable aerosol.
Explosion hazard	Pressurised container: May burst if heated.
Hazardous combustion products	During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Firefighting instructions	Cool containers / tanks with spray water if possible.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	For personal protection, see section 8 of the SDS.
Emergency procedures	Ventilate spillage area. No open flames, no sparks, and no smoking.

For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Take up liquid spill into absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
Other information	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

7. SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.
--------------------	--

7.3. Specific end use(s)

Cleaner.

8. SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EU

Regulation	Substance	Type	Value
COMMISSION DIRECTIVE 2000/39/EC	dimethyl ether (115-10-6)	IOELV TWA	1920 mg/m ³
	Dimethylether	IOELV TWA	1000 ppm

United Kingdom

Regulation	Substance	Type	Value
EH40. HSE	dimethyl ether (115-10-6) Dimethyl ether	WEL TWA	766 mg/m ³
		WEL TWA	400 ppm
		WEL STEL	958 mg/m ³
		WEL STEL	500 ppm
	propan-2-ol (67-63-0) Propan-2-ol	WEL TWA	999 mg/m ³
		WEL TWA	400 ppm
		WEL STEL	1250 mg/m ³
		WEL STEL	500 ppm

Monitoring methods

Follow standard monitoring procedures

DNEL: Derived no effect level

No data available

Components	Type	Route	Value	Form
dimethyl ether (115-10-6)	Worker	Inhalation	1894 mg/m ³	Long-term - systemic effects
	Consumer	Inhalation	471 mg/m ³	Long-term - systemic effects
propan-2-ol (67-63-0)	Worker	Dermal	888 mg/kg bw/day	Long-term - systemic effects
		Inhalation	500 mg/m ³	Long-term - systemic effects
	Consumer	Oral	26 mg/kg bw/day	Long-term - systemic effects
		Inhalation	89 mg/m ³	Long-term - systemic effects
		Dermal	319 mg/kg bw/day	Long-term - systemic effects

PNEC: Predicted no effect concentration

No data available

Components	Type	Route	Value	Form
dimethyl ether (115-10-6)	Not applicable	Freshwater	0.155 mg/l	
		Seawater	0.016 mg/l	
		Freshwater	1.549 mg/l	Intermittent release
		sediment	0.681 mg/kg dwt	Freshwater
		sediment	0.069 mg/kg dwt	Seawater
		Soil	0.045 mg/kg dwt	
		STP	160 mg/l	
propan-2-ol (67-63-0)	Not applicable	Freshwater	140.9 mg/l	
		Seawater	140.9 mg/l	
		sediment	552 mg/kg dwt	Freshwater
		sediment	552 mg/kg dwt	Seawater
		Soil	28 mg/kg dwt	
		Oral	160 mg/kg food	Secondary Poisoning
		STP	2251 mg/l	

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level		
Materials for protective clothing	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment		
Individual protection measures, such as personal protective equipment (PPE)			
Eye protection	Safety glasses. EN 166.		
Skin protection			
Hand protection	Protective gloves. The recommendation is only valid for the supplied product and the stated application. Special working conditions, like heat or mechanical strain, which deviate from the test conditions, can reduce the protective effect provided by the recommended glove		
Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	EN ISO 374 Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
In case of splash contact: Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	EN ISO 374 Glove recommendation: Camatril Velours® 730 (Kächele-Cama GmbH, source of supply see www.kcl.de) or comparable product.
Other protective measures	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment		
Skin and body protection	Wear suitable protective clothing		
Thermal hazard protection	Wear appropriate thermal protective clothing, when necessary.		
Environmental exposure controls	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.		
Consumer exposure controls	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Aerosol.
Colour	According to product specification.
Odour	Characteristic.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	Not applicable
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	< 0 °C
Auto-ignition temperature	No data available
Ignition temperature	235 °C
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	3400 hPa @ 20 °C
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.80911 g/cm³ @ 20 °C

Solubility	No data available
Log Pow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	Pressurised container: May burst if heated. Without adequate ventilation formation of explosive mixtures may be possible.
Oxidising properties	No data available
Lower explosive limit (LEL)	3 vol %
Upper explosive limit (UEL)	18.6 vol %
9.2. Other information	
VOC (EU)	59.95 %
10. SECTION 10: Stability and reactivity	
10.1. Reactivity	Extremely flammable aerosol. Pressurised container: May burst if heated.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
11. SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
12. SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	
Aqua Silicone Remover Spray	
Persistence and degradability	No additional information available.

propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
Aqua Silicone Remover Spray	
Bioaccumulative potential	No additional information available.
propan-2-ol (67-63-0)	
Log Pow	0.05 at 25 °C
12.4. Mobility in soil	
Aqua Silicone Remover Spray	
Ecology - soil	No additional information available.
12.5. Results of PBT and vPvB assessment	
Aqua Silicone Remover Spray	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.	
12.6. Other adverse effects	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.
13. SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste)	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.
Waste treatment methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Additional information	Dispose in accordance with all applicable regulations.
European List of Waste (LoW) code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
16 05 04*	gases in pressure containers (including halons) containing dangerous substances
15 01 10*	packaging containing residues of or contaminated by dangerous substances
14. SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADN	
14.1. UN number	
UN-No. (ADR)	1950
UN-No. (IMDG)	1950
UN-No. (IATA)	1950
UN-No. (ADN)	1950

UN-No. (RID)	1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	AEROSOLS
Proper Shipping Name (IMDG)	AEROSOLS
Proper Shipping Name (IATA)	Aerosols, flammable
Proper Shipping Name (ADN)	AEROSOLS
Proper Shipping Name (RID)	AEROSOLS
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	2.1
Danger labels (ADR)	2.1
IMDG	
Transport hazard class(es) (IMDG)	2.1
Danger labels (IMDG)	2.1
IATA	
Transport hazard class(es) (IATA)	2.1
Hazard labels (IATA)	2.1
ADN	
Transport hazard class(es) (ADN)	2.1
Danger labels (ADN)	2.1
RID	
Transport hazard class(es) (RID)	2.1
Danger labels (RID)	2.1
14.4. Packing group	
Packing group (ADR)	Not applicable
Packing group (IMDG)	Not applicable
Packing group (IATA)	Not applicable
Packing group (ADN)	Not applicable
Packing group (RID)	Not applicable
14.5. Environmental hazards	
Dangerous for the environment	No
Marine pollutant	No
Other information	No supplementary information available.
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	5F
Special provisions (ADR)	190, 327, 344, 625
Limited quantities (ADR)	1I
Packing instructions (ADR)	P207
Tunnel restriction code (ADR)	D
Transport by sea	
Special provisions (IMDG)	63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	P207, LP200
EmS-No. (Fire)	F-D

EmS-No. (Spillage)	S-U
Stowage category (IMDG)	None
Air transport	
PCA Excepted quantities (IATA)	E0
PCA Limited quantities (IATA)	Y203
PCA limited quantity max net quantity (IATA)	30kgG
PCA packing instructions (IATA)	203
PCA max net quantity (IATA)	75kg
CAO packing instructions (IATA)	203
CAO max net quantity (IATA)	150kg
Special provisions (IATA)	A145, A167, A802
ERG code (IATA)	10L
Inland waterway transport	
Classification code (ADN)	5F
Special provisions (ADN)	190, 327, 344, 625
Limited quantities (ADN)	1 L
Rail transport	
Classification code (RID)	5F
Special provisions (RID)	190, 327, 344, 625
Limited quantities (RID)	1L
Packing instructions (RID)	P207, LP200
Hazard identification number (RID)	23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006

propan-2-ol	3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
Aqua Silicone Remover Spray - propan-2-ol	3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
propan-2-ol	3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
dimethyl ether - propan-2-ol	40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
Contains no substance on the REACH candidate list	
Contains no REACH Annex XIV substances	

VOC (EU) 59.95 %

Other information, restriction and prohibition regulations

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 94/33/EC on the protection of young people at work, as amended. For details, refer to section 3 and 8.

Seveso Information

P3a FLAMMABLE AEROSOLS
'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids Category 1

National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. SECTION 16: Other information**Indication of changes**

1.4. Emergency telephone number.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit value
ATE	Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
BAM	Federal Institute for Materials Research and Testing, Germany
BAT	Maximum permissible concentration of biological working substances.
BCF	Bio-concentration factor.
BLV	Biological limit values
BLV	Biological limit values (BGW, Austria)
BMGV	Biological Monitoring Guidance Value (EH40,UK).
BOD5	Biochemical oxygen demand within 5 days
BOD	Biochemical oxygen demand
bw	Body weight.
calcd.	Calculated
CAS	Chemical Abstract Service.
CEN	European Committee for Standardization
CESIO	European Committee on Organic Surfactants and their Intermediates.
COD	Chemical oxygen demand
CLP	Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR	Carcinogenic, Mutagenic or Reproduction Toxic Substances
CSA	Chemical safety assessment
CSR	Chemical Safety Report.
DMEL	Derived Minimum Effect Level.
DNEL	Derived no effect level
EAC	European waste catalogue
EC	European community
EC50	Effective concentration
EINECS	European Inventory of Existing Commercial Chemical Substances.
ELINCS	European List of Notified Chemical Substances.
EN	European norm.

ERC	ERC (Environmental Release category)
EU	European Union
GLP	Good Laboratory Practice.
GHS	Globally Harmonized System of Classification and Labeling of Chemicals.
GW/VL	Occupational exposure limit value.
GW-kw/VL-cd	Occupational exposure limit value - short term.
GW-M/VL-M	Occupational exposure limit value – "Ceiling".
IATA	International Air Transport Association
IBC code	International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
ICAO	International Civil Aviation Organization
IC50	Inhibition Concentration 50%.
IECSC	Inventory of Existing Chemical Substances in China.
IMDG	International Maritime Dangerous Goods
ISO	International Standards Organization.
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal Concentration 50%.
LCLo	Lowest published lethal concentration.
LD50	Lethal Dose 50%.
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest observable effect concentration.
LOEL	Lowest observable effect level.
LQ	Limited quantities
TRK-Kzw	Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value, Austria.
MAK-Mow	Maximum allowable workplace concentration – instantaneous value, Austria.
MAK-Tmw, TRK-Tmw	Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value, Austria.
MAK	Threshold limit values Germany.
MARPOL	International Convention for the Prevention of Pollution from Ships.
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
NOEL	no-observed-effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limits
PBT	Persistent Bioaccumulative Toxic
PC (Chemical product category)	PC (Chemical product category)
PNEC	Predicted No-Effect Concentration
POCP	Photochemical ozone creation potential.
POP	Persistent Organic Pollutants
PPE	Personal protective equipment
Process category	Process category
REACH	Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL	Specific concentration limit.
STEL	Short-term Exposure Limit
STP	Sewage treatment plant
SU (Sector of use)	SU (Sector of use)
SVHC	Substance of Very High Concern.
TLV	Threshold Limit Value
TRGS	Technical Rules for Hazardous Substances (German Standard).
TWA	Time Weighted Average
UVCB	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VbF	Ordinance on Flammable Liquids, Austria
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL-TWA	Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
WEL-STEL	Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006..
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging

Full text of H- and EUH-statements

Aerosol 1	Aerosol, Category 1.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.
Flam. Gas 1	Flammable gases, Category 1.
Flam. Liq. 2	Flammable liquids, Category 2.
Press. Gas (Comp.)	Gases under pressure : Compressed gas.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis.
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Aerosol 1	H222;H229	On basis of test data
-----------	-----------	-----------------------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Attachment to the Safety Data Sheet



Product Name: Aqua Silicone Remover Spray

Ford Int. Ref. No.: 200974

REVISION DATE: 27.11.2019

Involved Products:

	Finiscode	Part number	Container Size:
.	1 2 436 147	KU7J M1B9550 AA	400 ml